



44¾" x 63"





FINISHED QUILT SIZE 44¾" x 63"

Measurements include ¼-inch seam allowance. Sew with right sides together unless otherwise stated.

GENERAL INSTRUCTIONS

Please check our website for any revisions before starting this project: www.rileyblakedesigns.com/pattern-updates This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric. Yardage calculated using a 42" usable width of fabric.

WOF = Width of Fabric LOF = Length of Fabric

FABRIC REQUIREMENTS

Fabrics are from the All My Heart collection by J. Wecker Frisch for Riley Blake Designs.

1 Valentine Ads Patch Panel (PD14130-PANEL)

1 Valentine Greetings Patch Panel (PD14131-PANEL)

3 yards White Trimmings Border Stripe (C14132-WHITE)

1% yards Pink Love Letters (C14139-PINK)

% yard Black Candy Wraps (C14143-BLACK) for Binding 1½ yards Wide Back backing of your choice

OTHER SUPPLIES

Basic Sewing Supplies % yard of 20"-wide Fusible Webbing Batting (53" x 71")

CUTTING INSTRUCTIONS

Please read all pattern instructions before cutting fabrics. Refer to the quilt photo for the placement of fabrics. Use a straight edge ruler and rotary cutter to cut your fabrics.

Valentine Ads Patch Panel

Fussy-cut (6) 10" squares.

Α

Valentine Greetings Patch Panel


See Stamp Embellishments, page 3.



White Trimmings Border Stripe

Fussy-cut (24) $3" \times 18"$ strips.

В



Pink Love Letters

Cut in the order listed. Note the WOF & LOF cuts.

(3) 6½" × WOF strips C (2) 6½" × 45½" LOF strips. D (2) 4½" × 33½" LOF strips. E

(3) $4\%'' \times 15''$ WOF rectangles F



Black Candy Wraps


Cut (6) 2%" × WOF strips for binding.

SEWING INSTRUCTIONS


Refer to the guilt photo for the placement of prints.

BLOCK ASSEMBLY

1. Finger press a crease at the center of each side of fussy-cut square A. Do the same with (4) B strips along the edge facing the square. On the wrong side of A, mark ¼" from each corner.




2. Match the crease of a B strip to the crease on one side of square A. Sew the strip to the square between the (2) marks on that side, backstitching at each end.




3. Repeat Step 2, adding a B strip to each side, making sure all strips are facing toward the center in a similar manner.

4. Fold square A wrong sides together diagonally and line up (2) adjacent B strips. Place a ruler's 45° angle line along the line of stitching and draw a line from the marked corner across the C rectangles.



5. Stitch on the angled line backstitching at the marked corner. Check to see that the corner lies flat and straight before trimming the excess fabric ¼" away from the stitching. Press the angled seam open and the seams around the square toward the outside.



6. Repeat Steps 2–5 at each corner of the square to complete the mitered Framed Block, measuring 15" square. Make 6 Framed Blocks.



Framed Block

OLUIT ASSEMBLY

Please refer to the Quilt Layout Diagram on page 4.

- 7. Sew (2) Framed Blocks together with an F rectangle in between to make a row. Make (3) rows, each measuring 33%" × 15".
- 8. Sew (3) rows together top to bottom with (2) E strips, alternating positions, to make the quilt center, now measuring 33%" × 51%".
- 9. Sew (3) C strips together end-to-end. From the strip cut (2) side borders 51½" in length. Attach the side borders to the quilt center, now measuring 45½" × 51½".

10. Attach the D strips to the top and bottom to complete the quilt top. Quilt now measures 45%" × 63%".

STAMP EMBELLISHMENTS

- 11. Cut out (7) stamps from the Valentine's Greetings Patch Panel following the dashed lines printed on the panel fabric.
- 12. Cut (7) 5½" squares of fusible webbing.
- 13. Following the manufacturer's instructions, center and fuse the 5½" webbing squares, glue side down, to the wrong side of the stamps. The fusible webbing should fit within the edges of the fabric in order to keep the ironing surface free of glue.
- 14. Working from the right side, fussy-cut each stamp as desired between 4½"-5" square depending on how much white border you want around the perimeter. Or, you may decide to cut along the edge of the printed image, it's up to you.
- 15. Fuse the stamps to the quilt top as desired and machine stitch around each stamp with a straight, zig-zag or blanket stitch in matching thread.

FINISHING INSTRUCTIONS

Finish quilt by layering the quilt top, batting, and backing. Baste quilt layers together and quilt as desired. Bind with the Black Candy Wraps binding strips.

Enjoy and share your quilt using the hashtags #allmyheartfabric, #vintagevalentinepatchquilt, #rileyblakedesigns and #iloverileyblake.

QUILT LAYOUT DIAGRAM

