

GRAND OLE FLAG PANEL QUILT

 **Riley Blake**
DESIGNS™



67" x 78"

 **AMERICAN**
Beauty
BY DANI MOGSTAD

 = Beginner

02/01/2024

GRAND OLE FLAG PANEL QUILT

FINISHED QUILT SIZE 67" × 78"

Please read all instructions before beginning the project. Yardage calculated using a 42" usable width of fabric.

Please note that prewashing can shrink 100% cotton fabric. Always verify after washing and drying that there is still 42" of usable width available. Shrinkage can affect the size of panel motifs and fussy cutting sizes may need to be adjusted. If this is the case, add strips around the edge of the fussy cut piece to create a pieced unit that matches the size of the fussy cut dimensions given in the cutting instructions.

GENERAL INSTRUCTIONS

Please visit www.rileyblakedesigns.com/pattern-updates for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

Measurements include ¼" seam allowance. Sew with RST unless stated otherwise. Refer to the quilt layout diagram for placement of the prints. Press seams open unless otherwise indicated. Dimensions listed in steps are unfinished sizes unless stated otherwise.

WOF = Width of Fabric
RST = Right Sides Together
HST = Half Square Triangle

FABRIC REQUIREMENTS

All fabrics are from the American Beauty collection unless otherwise indicated.

(1) P14450-PANEL American Beauty Flag Panel
½ yard C14441-NAVY Floral
½ yard C14441-STORM Floral
¾ yard C14444-STORM Tonal
1 ½ yards C14440-STORM Main
1 ¾ yards C14448-NAVY Geo*
*includes Binding
¾ yard C120-CLOUD Confetti Cottons Solid

OTHER SUPPLIES

2 ⅞ yards WB14452-WHITE Dresden Wide Back
Batting 76" × 87"
Basic Sewing Supplies

CUTTING INSTRUCTIONS

Please read all pattern instructions before cutting fabrics. Use a straight edge ruler and rotary cutter to cut your fabrics and label all cuts as noted.

43 ½"



35 ½"

American Beauty Flag Panel
Trim panel to 43 ½" × 35 ½".



Navy Floral
Cut (4) 3 ½" × WOF strips; subcut:
(48) 3 ½" × 3 ½" squares, label A.



Storm Floral
Cut (4) 3 ½" × WOF strips; subcut:
(48) 3 ½" × 3 ½" squares, label B.



Storm Tonal
Cut (3) 5" × WOF strips.
Cut (2) 4 ½" × WOF strips; subcut:
(2) 4 ½" × 37 ½" strips.



Storm Main
Cut (7) 6 ½" × WOF strips.

GRAND OLE FLAG PANEL QUILT



Navy Geo

Cut (16) 1 1/2" x WOF strips.

Subcut (3) strips into (10) 1 1/2" x 8 1/2" strips for Star Block Sashing.

Set aside (13) WOF strips for sashing.

Cut (8) 2 1/2" x WOF strips; set aside for binding.



Cloud Confetti Cottons Solid

Cut (4) 3 1/2" x WOF strips; subcut:

(48) 3 1/2" x 3 1/2" squares, label C.

Cut (3) 2 1/2" x WOF strips; subcut:


(48) 2 1/2" x 2 1/2" squares, label D.

SEWING TECHNIQUES

General sewing techniques that are used in this pattern are shown below. These methods will be referenced throughout the pattern in their abbreviated form.


2-AT-A-TIME HALF SQUARE TRIANGLE METHOD (HST)

Place (2) squares RST. Draw a diagonal line on the wrong side of one square. Stitch 1/4" on each side of the drawn line. Cut on the drawn line to create (2) HSTs. Press toward the darker fabric. Trim HSTs to desired size.




BLOCK ASSEMBLY


- Using the HST method, pair (1) A square with (1) C square to form (2) E HST Units. Trim to 2 1/2" square. Repeat (24) times to create a total of (48) E HST Units.




- Using the HST method, pair (1) B square with (1) C square to form (2) F HST Units. Trim to 2 1/2" square. Repeat (24) times to create a total of (48) F HST Units.




- Using the HST method, pair (1) A square with (1) B square to form (2) G HST Units. Trim to 2 1/2" square. Repeat (24) times to create a total of (48) G HST Units.



- Gather (2) D squares, (1) E HST Unit, and (1) F HST Unit. Sew RST as shown below to form an H Unit, paying attention to the orientation of the HST Units. Press. The H Unit should measure 8 1/2" x 2 1/2". Repeat to create a total of (24) H Units.




- Gather (2) G HST Units, (1) F HST Unit, and (1) E HST Unit. Sew RST as shown below to form an I Unit, paying attention to the orientation of the HST Units. Press. The I Unit should measure 8 1/2" x 2 1/2". Repeat to create a total of (24) I Units.




GRAND OLE FLAG PANEL QUILT

6. Gather (2) H Units and (2) I Units. Sew RST as shown below, paying attention to the orientation of each Unit. Press. Star Block should measure $8\frac{1}{2}'' \times 8\frac{1}{2}''$. Repeat to create a total of (12) Star Blocks.




QUILT ASSEMBLY

7. Gather (10) $1\frac{1}{2}'' \times 8\frac{1}{2}''$ Navy Geo strips. Sew (5) strips RST between (6) Star Blocks, alternating between Star Blocks and strips as shown below. Press toward the strips. Star Block Row should measure $53\frac{1}{2}'' \times 8\frac{1}{2}''$. Repeat with the remaining (5) strips and (6) Star Blocks for a total of (2) Star Block Rows.




8. Gather (6) $1\frac{1}{2}'' \times$ WOF Navy Geo strips. Sew strips RST, end-to-end, to form one long strip. Press. From this long strip, cut (4) $1\frac{1}{2}'' \times 53\frac{1}{2}''$ strips and (1) $1\frac{1}{2}'' \times 35\frac{1}{2}''$ strip. Set the $1\frac{1}{2}'' \times 35\frac{1}{2}''$ strip aside.
9. Gather (1) Star Block Row and (2) $1\frac{1}{2}'' \times 53\frac{1}{2}''$ Navy Geo strips. Sew strips RST to the top and bottom of the Star Block Row as shown below. Press toward the strips. Star Block Row should now measure $53\frac{1}{2}'' \times 10\frac{1}{2}''$. Repeat with remaining Star Block Row and $1\frac{1}{2}'' \times 53\frac{1}{2}''$ Navy Geo strips for a total of (2) Star Block Rows with borders. Set aside.



10. Gather (3) $1\frac{1}{2}'' \times$ WOF Navy Geo strips. Sew strips RST, end-to-end, to form one long strip. Press. From this long strip, cut (2) $1\frac{1}{2}'' \times 45\frac{1}{2}''$ strips and (1) $1\frac{1}{2}'' \times 35\frac{1}{2}''$ strip. Gather the $1\frac{1}{2}'' \times 35\frac{1}{2}''$ strip cut in step 8.
11. Gather Panel and sew (2) $1\frac{1}{2}'' \times 35\frac{1}{2}''$ strips RST to each side as shown below. Press toward the strips. Panel should measure $45\frac{1}{2}'' \times 35\frac{1}{2}''$.



12. Sew (2) $1\frac{1}{2}'' \times 45\frac{1}{2}''$ strips RST to the top and bottom of the Panel as shown below. Press toward the strips. Panel should measure $45\frac{1}{2}'' \times 37\frac{1}{2}''$.




GRAND OLE FLAG PANEL QUILT


13. Gather (2) $4\frac{1}{2}'' \times 37\frac{1}{2}''$ Storm Tonal strips. Sew RST to each side of the Panel. Press toward the strips. Panel should measure $53\frac{1}{2}'' \times 37\frac{1}{2}''$.




14. Gather (3) $5'' \times \text{WOF}$ Storm Tonal strips. Sew strips RST, end-to-end, to form one long strip. Press. From this long strip, cut (2) $5'' \times 53\frac{1}{2}''$ strips.
 15. Sew these strips RST to the top and bottom of the Panel. Press toward the strips. Panel should measure $53\frac{1}{2}'' \times 46\frac{1}{2}''$.



16. Gather (2) Star Block Rows with borders. Sew Star Block Rows RST to the top and bottom of the Panel as shown below. Press toward the Storm Tonal border. Quilt top should measure $53\frac{1}{2}'' \times 66\frac{1}{2}''$.




17. Gather (4) $1\frac{1}{2}'' \times \text{WOF}$ Navy Geo strips. Sew strips RST, end-to-end, to form one long strip. Press. From this long strip, cut (2) $1\frac{1}{2}'' \times 66\frac{1}{2}''$ strips.
 18. Sew these strips RST to the sides of the quilt top. Press toward the Navy Geo strips. Quilt top should measure $55\frac{1}{2}'' \times 66\frac{1}{2}''$.



GRAND OLE FLAG PANEL QUILT

19. Gather (7) $6\frac{1}{2}$ " \times WOF Storm Main strips. Sew strips RST, end-to-end, to form one long strip. Press. From this long strip, cut (2) $6\frac{1}{2}$ " \times $66\frac{1}{2}$ " strips and (2) $6\frac{1}{2}$ " \times $67\frac{1}{2}$ " strips.
20. Sew (2) $6\frac{1}{2}$ " \times $66\frac{1}{2}$ " strips RST to the sides of the quilt top. Press toward the strips. Quilt top should measure $67\frac{1}{2}$ " \times $66\frac{1}{2}$ ".



21. Sew (2) $6\frac{1}{2}$ " \times $67\frac{1}{2}$ " strips RST to the top and bottom of the quilt top. Press toward the strips. Quilt top should measure $67\frac{1}{2}$ " \times $78\frac{1}{2}$ ".



FINISHING INSTRUCTIONS

Finish your quilt by layering the quilt top, batting, and backing. Baste quilt layers together and quilt as desired. Bind with the Navy Geo binding strips.

Enjoy and share your quilt using the hashtags [#americanbeautyfabric](#), [#grandoleflagpanelquilt](#), [#rileyblakedesigns](#), and [#iloverileyblake](#).

GRAND OLE FLAG PANEL QUILT

QUILT LAYOUT DIAGRAM

67" x 78"

