


# Hello Spring Mat & Runner



= Confident Beginner

by SANDY GERVAIS



# Hello Spring Mat & Runner

## FINISHED QUILT SIZES

**MAT** 33" x 33"

**RUNNER** 21" x 81"

Please read through all the directions first before starting. Assume  $\frac{1}{4}$ " seam allowance. Sew with right sides together unless otherwise stated. Press all seams open unless otherwise noted. Yardage is based on a 42" width of fabric.

WOF: Width of Fabric

RST: Right Sides Together

HST: Half Square Triangle

Basic knowledge of quilt piecing techniques and terminology is required. Please visit our website at [www.rileyblakedesigns.com/pattern-updates](http://www.rileyblakedesigns.com/pattern-updates) to check for any updates before beginning this project. Have fun!

## FABRIC REQUIREMENTS for MAT and RUNNER

1 Cream or Blush Hello Spring panel (P12967-CREAM, P12967-BLUSH)

1 yard Confetti Cottons Le Creme (C120-LECREME)\*

\*If using CREAM panel

1 yard Confetti Cottons Ballerina (C120-BALLERINA)\*

\*If using BLUSH panel

$\frac{3}{8}$  yard Main Cream (C12960-CREAM)

$\frac{3}{8}$  yard Geometric Seafoam (C12963-SEAFOAM)

$\frac{3}{8}$  yard Daisies Seafoam (C12962-SEAFOAM)

$\frac{1}{2}$  yard Texture Cream (C610-CREAM)

$\frac{1}{2}$  yard Runner Binding- Texture Julep (C610-JULEP)

$\frac{1}{8}$  yard Mat Binding- Texture Heather (C610-HEATHER)

## OTHER SUPPLIES

Basic Sewing Supplies

2 $\frac{1}{8}$  yards WIDEBACK Backing


41" x 41" piece of Batting for Mat

29" x 89" piece of Batting for Runner


## CUTTING INSTRUCTIONS

**Cream Hello Spring panel:**

First, cut quilt block squares from panel at  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ ", centering the image. Set aside.



Next, Fussy Cut each letter to fit the entire design with at least  $\frac{1}{2}$ " around the perimeter of the design. Pay close attention to the areas circled in RED on letters P, R, and N in the diagram below.



**Confetti Cottons Le Creme OR Ballerina:**

Cut (10) 3" x WOF strips. These are the Copping strips.



**Main Cream:**

Cut (1)  $10\frac{1}{2}$ " x WOF strip. Subcut into (2)  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " squares.

Cut (1) 11" x WOF strip. Subcut into (2) 11" x 11" squares, label as A



**Geometric Seafoam:**

Cut (1) 11" x WOF strip. Subcut into (2) 11" x 11" squares, label as B

Cut (4) 2" x WOF strips. Subcut into:

(2) 2" x  $30\frac{1}{2}$ " strips

(2) 2" x 33" strips



**Daisies Seafoam:**

Cut (3)  $6\frac{1}{2}$ " x WOF strips. Subcut into (28)  $6\frac{1}{2}$ " x  $3\frac{1}{2}$ " rectangles.



**Texture Cream:**

Cut (3)  $1\frac{1}{2}$ " x WOF strips. Subcut into (56)  $1\frac{1}{2}$ " x  $1\frac{1}{2}$ " squares.

Cut (1)  $3\frac{1}{2}$ " x WOF strip. Subcut into (4)  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " squares.

Cut (6) 2" x WOF strips. Subcut (2) into 2" x 21" strips.

# Hello Spring Mat & Runner


## QUILT ASSEMBLY

Assemble the mat and runner in order shown. Trim directions are given often to ensure accurate piecing. Press toward the print fabrics, unless otherwise stated.


## HELLO SPRING MAT

### 2-at-a-time Half-Square Triangles


1. Gather (1) A square and (1) B square. Draw a line from corner to corner on the wrong side of the A square. Place both squares RST and pin in place.
2. Sew  $\frac{1}{4}$ " seam on either side of the drawn line as shown. Using your ruler and rotary cutter, trim directly on the drawn line. Press both HSTs. Trim both HST units to  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " square. Make (1) more 2-at-a-time HST unit for a total of (4) HSTs measuring  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " square.




3. Next, gather (4)  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " HSTs, (2)  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " Main Cream squares, and (3)  $10\frac{1}{2}$ " x  $10\frac{1}{2}$ " quilt block squares from the main panel. Lay them out as shown. Pin and sew them together into rows as shown. Press. Each row should measure  $30\frac{1}{2}$ " x  $10\frac{1}{2}$ ".



4. Sew each row RST until you have a mat measuring  $30\frac{1}{2}$ " x  $30\frac{1}{2}$ " as shown. Press.



5. Sew (2) 2" x  $30\frac{1}{2}$ " Geometric Seafoam strips to the top and bottom of the mat as shown. Press.
6. Then sew (2) 2" x 33" Geometric Seafoam strips to the sides of the mat as shown. Press.




7. Your Hello Spring Mat is complete!


# Hello Spring Mat & Runner

## HELLO SPRING RUNNER


8. Gather all (6) main panel letters to spell SPRING. Measure the sides of the panel letter S. Using this length measurement, cut (2) of this length from (1) of the Confetti Cottons Le Creme (or Ballerina) 3" x WOF Coping strips. Sew (1) to each side of the panel letter S, as shown in the diagram below. Press.




9. Now measure the top and bottom of the panel letter S. Using this length measurement, cut (2) of this length from (1) of the Confetti Cottons Le Creme (or Ballerina) 3" x WOF Coping strips. Sew (1) to the top and (1) to the bottom of the panel letter S, as shown in the diagram below. Press. Repeat steps 1-2 with remaining (5) panel letters.




10. Using a 12½" x 12½" ruler, trim your panel letter blocks down to 12½" x 12½" (red dashed line in diagram below), making sure to leave a 1½" space between the bottom of each LETTER and the bottom edge of the block. NOTE: this is the bottom of the LETTER, so some design elements will fall below this line. That is OK! We are making sure the bottom of each LETTER lines up across the runner. See diagram at top right.




11. Sew all trimmed letters RST to make a row as shown below. Press. Completed letter row should measure 72½" x 12½". Set aside.  
NOTE: Coping strip widths and lengths will vary with each letter. This is OK! You'll notice all the letters should line up horizontally along the runner.



12. Gather (56) 1½" x 1½" Texture Cream squares. Draw a line from corner to corner on the wrong side of each of the (56) 1½" x 1½" Texture Cream squares. Sew (2) 1½" x 1½" Texture Cream squares on the drawn line to the top corners of (1) 6½" x 3½" Daisies Seafoam rectangle as shown.




13. Trim excess fabric ¼" away from the just-sewn seams as shown. Press. Repeat steps 2-3 to complete (27) more scallops for a total of (28) scallops that each measure 6½" x 3½".





# Hello Spring Mat & Runner

14. Sew (12) scallops together to form (1)  $72\frac{1}{2}$ " x  $3\frac{1}{2}$ " row of scallops. Press. Repeat for a total of (2) scallop rows measuring  $72\frac{1}{2}$ " x  $3\frac{1}{2}$ ". Sew these rows to the top and bottom of the SPRING row as shown.



15. Next, sew (2) scallops together. Press. Then add (2)  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " Texture Cream squares to either end of the scallops as shown. Press. Repeat for a total of (2) scallop and square rows measuring  $18\frac{1}{2}$ " x  $3\frac{1}{2}$ ".



16. Sew these rows to the sides of the SPRING row as shown. Press.



17. Sew (2) 2" x WOF Texture Cream strips together, then cut down to 2" x  $78\frac{1}{2}$ ". Repeat with (2) more 2" x WOF strips. These are the top and bottom runner borders.

18. Sew the (2) 2" x  $78\frac{1}{2}$ " strips to the top and bottom of the runner as shown. Press.  
19. Then sew (2) 2" x 21" Cream Texture strips to the sides of the runner as shown. Press.



20. Your Hello Spring Runner is done!

## FINISHING YOUR MAT & RUNNER

Layer your backing, batting, and quilt tops. Quilt as desired. Bind the edges with your favorite binding method using the prepared binding. Enjoy and share your quilt using the hashtags #hellospringfabric #rileyblakedesigns #iloverileyblake.