

AUTUMN WREATHS

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring Autumn Beauties 



Finished quilt measures: 65" x 73"













Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKM-19314-191 AUTUMN	2/3 yard (one full panel)		G	SRKM-19318-175 NUTMEG	1/8 yard
	B	SRKM-19314-200 VINTAGE	2/3 yard (one full panel)		H	SRKM-19315-184 CHARCOAL	1/8 yard
	C	K001-1268 OYSTER	1-1/2 yards		I	SRK-19316-12 GREY	1/8 yard
	D	SRKM-19318-16 BROWN	1/2 yard		J	SRKM-19315-16 BROWN	1/8 yard
	E	SRKM-19317-16 BROWN	1-1/8 yards		K	SRKM-19319-200 VINTAGE	1/8 yard
	F	SRKM-19315-222 REDWOOD	1/8 yard		Binding	SRKM-19319-191 AUTUMN	1/2 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4-1/8 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From each of Fabrics A and B, fussy cut:

two 21-1/2" x 20" rectangles

From Fabric C, cut:

four 4" x WOF strips. Subcut:

thirty-two 4" squares for the HSTs

Trim the remainder of the last strip to 3-1/2" wide, then subcut:

two 3-1/2" squares

seven 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 20" rectangles

two 2-1/2" x 21-1/2" rectangles

two 2-1/2" x 41-1/2" side Border 1 strips

two 2-1/2" x 48-1/2" top/bottom Border 1 strips

nine 2" x WOF strips. Sew together, end-to-end, then trim:

four 2" x 54-1/2" top/bottom Border 2 strips

two 2" x 66-1/2" side Border 2 strips

From Fabric D, cut:

three 4-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 4-1/2" x 54-1/2" strips

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

From Fabric E, cut:

seven 4-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 4-1/2" x 65-1/2" side Border 3 strips

two 4-1/2" x 65-1/2" top/bottom Border 3 strips

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

From each of Fabrics F-J, cut:

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

From Fabric K, cut:

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

trim the remainder of the strip to 2-1/2" wide, then subcut:

one 2-1/2" square

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric C square with a 4" Fabric D square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make eight C/D HSTs.



Step 2: Repeat Step 1 to make:




eight C/E HSTs



eight C/F HSTs




eight C/G HSTs



eight C/H HSTs



eight C/I HSTs



eight C/J HSTs



eight C/K HSTs

Assemble the HST Borders

Step 3: Gather fifteen HSTs in the fabrics indicated here and sew together to form the left side HST border. Repeat to make the right side HST border. Press.

Step 4: Gather seventeen HSTs (and one Fabric C square) in the fabrics indicated here and sew together to form the top HST border. Repeat to make the bottom HST border. Press.



Assemble the Quilt



Step 5: Gather:

the four Fabric A and Fabric B units
two 2-1/2" x 20" Fabric C strips
two 2-1/2" x 21-1/2" Fabric C strips
the 2-1/2" Fabric K square

Arrange together into three rows of three. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 6: Sew the units together to form rows. Press the seams away from Fabric C.

Step 7: Sew the rows together to form the quilt center. Press the row seams open.

Step 8: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 9: Sew the side HST Borders to the sides of the quilt center, noting the orientation. Press toward the center. Sew the top and bottom HST Borders to the quilt center, noting the orientation. Press toward the center.

Step 10: Sew a 2" x 54-1/2" Fabric C strip to the top and bottom edges of the quilt center. Press. Sew a 4-1/2" x 54-1/2" Fabric D strip to the top and bottom edges of the quilt center. Press.

Step 11: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 12: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!