

# Flying Dutchman


Runner: 18" x 42"

Simple Folded Corners  
ruler is REQUIRED for  
this pattern.

## Fabric Requirements

- ☛ Background 7/8yd
- ☛ Assorted Prints  
14, 5" x 10" **or** 14, 2½" x 18" strips
- ☛ Binding 1/3yd
- ☛ Backing 1-1/2yds

## Terms


- WOF Width of Fabric
- RST Right Sides Together
- 1/4" Seam Allowance used in this pattern
-  Cut from Corner to Corner ONCE
- Fabric width is based on 40" of usable fabric.

Watch the Simple Folded Corner demo online at [antlerquiltdesign.com](http://antlerquiltdesign.com)

Share what you create on Facebook and Instagram by using:  
#antlerquiltdesign  
#simplefoldedcorners

Read all the instructions before you start cutting and stitching. Decide which folded corner piecing method you want to use before you begin.

## Oversized Folded Corner Method Cutting & Piecing Instructions


Fabric	First Cut	Second Cut	Label
Background	2, 4½" WOF Strips	24, 4½" x 2½"	A
	4, 2¼" WOF Strips	56, 2¼" squares 	B
	4, 1½" WOF Strips	none - Border	C
Assorted Prints	<i>From each of the Assorted Prints cut:</i>		
	4, 4½" x 2½"		D
Binding	4, 2¼" WOF Strips		-

### Step 1.

What you'll need:

- ☛ D: 56
- Align the 1½" line from the cut-a-way section on the short Right edge of one fabric D rectangle as shown. Use the other markings on the ruler to ensure fabric D rectangle is accurately positioned. Make 56.

Step 1.




### Step 2.

What you'll need:


- ☛ B: 112
- ☛ D: 56
- A. Position one fabric B triangle RST with one trimmed fabric D rectangle, matching the centers as shown. Stitch together using a 1/4" seam allowance, with the base fabric on top. Pin if needed. Press as shown. Make 56.

Step 2A.




- B. Align the 1" trim line on the seam just stitched. Use the other markings on the ruler to ensure fabric D rectangle is accurately positioned. Trim away the excess fabric. Make 56. Unit A.

Step 2B.



- C. Repeat Steps 1 through 2B using another fabric B triangle and Unit A. Make sure to place the fabric B triangle in the lower Left corner as shown. Press as shown. Trim to 4½" x 2½". Make 56. Block 1.

Step 2C.



# No Trim Folded Corner Method Cutting & Piecing Instructions

Fabric	First Cut	Second Cut	Label
Background	2, 4½" WOF Strips	24, 4½" x 2½"	A
	5, 1½" WOF Strips	112, 1½" squares	B
	4, 1½" WOF Strips	none - Border	C
Assorted Prints	<i>From each of the Assorted Prints cut:</i>		
	4, 4½" x 2½"		D
Binding	4, 2¼" WOF Strips		-


## Step 1.

What you'll need:

- B: 112
- D: 56


- A. Place one fabric B square in the Upper Left corner of one fabric D rectangle RST as shown. Locate the first solid line on the LEFT edge of the fabric B square as shown. Use the other markings on the ruler to ensure fabric D rectangle is accurately positioned. Make 56. Unit A.

Step 1A.




- B. Stitch together Unit A using a ¼" seam allowance. Press as shown. Make 56. Unit B.

Step 1B.



- C. Repeat Steps 1A through 1B using one fabric B square and Unit B. Make sure to place the fabric B square in the lower Left corner as shown. Press as shown. Proof to 4½" x 2½". Make 56. Block 1.

Step 1C.



## Layout & Border

What you'll need:

- A: 24
- C: 4
- Block 1: 56

Layout runner center as shown below using all fabric A rectangles and Block 1. Keeping the 4 matching fabric D rectangles together. Press as shown. Runner center should measure 16½" x 40½". Make 1.

Measure the long sides of runner center. Cut two fabric C strips to that measurement and attach to the long sides of runner center. Press as shown. Repeat for the short sides. Runner should measure 18½" x 42½".

Quilt & Binding using your favorite method. Enjoy!

