WILDERNESS














 $\begin{array}{c} {\rm FUS\text{-}LF\text{-}2200} \\ {\rm AMONG\ THE\ PINES\ FORESTER} \\ {\it by\ AGF\ Studio} \end{array}$



FUS-LF-2208 BUMBLE FORESTER by Maureen Cracknell



FUS-LF-2206 CURIOUS PAWS FORESTER by AGF Studio



FUS-LF-2207 WAVELENGTH FORESTER by Jessica Swift



FUS-LF-2205 SQUIRRELS AT PLAY FORESTER by Maureen Cracknell



FUS-LF-2203 WILDWOOD FORESTER by Bonnie Christine




FUS-LF-2201 DEW'S CLOTH-LINE FORESTER $by\ Alexandra\ Bordallo$





ADDITIONAL BLENDERS FOR THIS PROJECT





FINISHED SIZE | 60" × 64"

FABRIC REQUIREMENTS

Fabric A	FUS-LF-2200	1 yd.
Fabric B	PE-489	½ yd.
Fabric C	PE-450	½ yd.
Fabric D	PE-458	⅓ yd.
Fabric E	DEN-S-2006	½ yd.
Fabric F	FUS-LF-2208	½ yd.
Fabric G	FUS-LF-2206	½ yd.
Fabric H	FUS-LF-2207	5⁄8 yd.
Fabric I	FUS-LF-2205	½ yd.
Fabric J	PE-436	½ yd.
Fabric K	PE-408	½ yd.
Fabric L	FUS-LF-2203	½ yd.
Fabric M	PE-496	1 yd.
Fabric N	PE-465	½ yd.
Fabric O	FUS-LF-2201	3/4 yd.

BACKING FABRIC FUS-LF-2207 4 yds (Suggested)

BINDING FABRIC
Fabric • FUS-LF-2201 (Included)

CUTTING DIRECTIONS

1/4" seam allowances are included. WOF means width of fabric.

- Two (2) 301/2" x 41/2" strips from fabric A.
- Three (3) $12\frac{1}{2}$ " x $6\frac{1}{2}$ " rectangles from fabric A.

- Ten (10) 6%" squares from fabric A.
- Five (5) 67/8" squares from fabric B.
- Eleven (11) 37/8" squares from fabric B.
- Fifteen (15) 3½" squares from fabric B.
- Six (6) 3% squares from fabric \mathbb{C} .
- Ten (10) 3½" squares from fabric C.
- Nine (9) 3%" squares from fabric D.
- One (1) 6 ¾" square from fabric **E**.
- Six (6) 3⁷/₈" squares from fabric E.
- Ten (10) 3½" squares from fabric E.
- Ten (10) 67/8" squares from fabric F.
- One (1) 6½" square from fabric F.
- Two (2) 3%" squares from fabric F.
- One (1) 3½" square from fabric F.
- Eleven (11) 6%" squares from fabric G.
- Four (4) 6½" x 3½" rectangles from fabric H.
- Five (5) 67/8" squares from fabric H.
- Ten (10) 3%" squares from fabric H.
- Ten (10) 3½" squares from fabric H.
- Nine (9) 37/8" squares from fabric I.
- Eleven (11) 3½" squares from fabric I.
- Seven (7) 3\%" squares from fabric J.
- Nine (9) 3½" squares from fabric J.
- One (1) 6½" x 3½" rectangle from fabric K.
- Three (3) 6%" squares from fabric K.
- Fifteen (15) 3½" squares from fabric K.
- Eight (8) 37/8" squares from fabric K.
- Eight (8) 6%" squares from fabric L.
- One (1) 3%" square from fabric L.

- Two (2) $6\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangles from fabric M.
- Four (4) 12½" x 3½" rectangles from fabric M.
- One (1) $15\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle from fabric M.
- Two (2) 18½" x 3½" rectangles from fabric M.
- One (1) $21\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle from fabric M.
- Three (3) template 1 from fabric M.
- Three (3) 67/8" squares from fabric M.
- Eight (8) 3%" squares from fabric M.
- Fifteen (15) 3½" squares from fabric M.
- Seven (7) 3%" squares from fabric N.
- Five (5) 3½" squares from fabric N.
- Three (3) template 2 from fabric O.
- One (1) 6%" square from fabric O.

Cut template 2 from fabric O following the diagram below.




DIAGRAM 1

CONSTRUCTION

Sew all rights sides together with ¼"seam allowance.

Half Square Triangle construction

- Take two (2) 3%" squares and place them right sides facing each other.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch at 1/4" from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a 3½" square.





DIAGRAM 2

 Take the following amount of 3%" squares from the following Fabrics in order to construct the HSTs:

B: 11 **C**: 6 **D**: 9 **E**: 6 **F**: 2 **H**: 10 **I**: 9 **J**: 7 **K**: 8 **L**: 1 **M**: 8 **N**: 7

 Following the HST instruction, assemble the following fabric hst pieces:



- Repeat the same HST construction taking two 6%" squares and place them right sides facing.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch at 1/4" from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a 6½" square.
- Take the following amount of 6%" squares from the following Fabrics in order to construct the HSTs:

A: 3 B: 4 E: 1 F: 7 G: 7 H: 4 K: 2 L: 4 O: 1

Note: For fabric A, assemble the hst following the diagram below to keep the direction of this print.




DIAGRAM 4

- Take the remaining seven 6%" squares from fabric A and cut at the diagonal.
- Cut four from left to right and three right to left, following the diagram below.
- You will be using some of the pieces for each block construction, focusing on the direction of the fabric.





DIAGRAM 5

 Take the remaining 6%" squares from fabrics B, F, G, H, K, L, M and cut at the diagonal following the diagram below.




DIAGRAM 6

Block 1 Construction

Take one 3½" square from fabric B and two 3½" squares from fabric C and join them following the diagram below.





DIAGRAM 7

- Now, take one fabric A triangle and place it on top of your assembled C-B-C unit, right sides together.
- Sew at a 1/4".
- Press open and trim excess fabric. The block should measure 6½".



Block 2 Construction

• Take one 3½" square from fabric **B** and two 3½" squares from fabric **C** and join them following the diagram below.



DIAGRAM 9

 Now, take one fabric A triangle and place it on top of your assembled C-B-C unit, right sides together.




DIAGRAM 10

Block 3 Construction

• Take two 3½" squares from fabric B and one 3½" square from fabric C and join them following the diagram below.



DIAGRAM 11

- Now, take one fabric A triangle and place it on top of your assembled C-B-B unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 2.




DIAGRAM 12



Take two 3½" squares from fabric B and one 3½" B-C hst and join them following the diagram below.



DIAGRAM 13

- Now, take one fabric A triangle and place it on top of your assembled B-B-BC unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 4.




DIAGRAM 14

Block 5 Construction

 Take two 3½" squares from fabric B and one 3½" B-C hst and join them following the diagram below.



DIAGRAM 15

 Now, take one fabric A triangle and place it on top of your assembled B-BC-B unit, right sides together.



Block 6 Construction

 Take one 3½" square from fabrics E and F and one 3½" E-F hst and join them following the diagram below.



DIAGRAM 17

 Now, take one fabric B triangle and place it on top of your assembled E-EF-F unit, right sides together.




DIAGRAM 18

Block 7 Construction

 Take two 3½" squares from fabric E and one 3½" D-E hst and join them following the diagram below.



DIAGRAM 19

- Now, take one fabric F triangle and place it on top of your assembled E-DE- unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 7.




DIAGRAM 20

Block 8 Construction

Take two 3½" squares from fabric E and one 3½" D-E hst and join them following the diagram below.



DIAGRAM 21

- Now, take one fabric F triangle and place it on top of your assembled E-DE-E unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 8 .




DIAGRAM 22


Block 9 Construction

 Take two 3½" squares from fabric I and one 3½" H-I hst and join them following the diagram below.



DIAGRAM 23

 Now, take one fabric F triangle and place it on top of your assembled I-HI-I unit, right sides together.



Block 10 Construction

 Take one 3½" square from fabrics H and I and one 3½" H-I hst and join them following the diagram below.



DIAGRAM 25

 Now, take one fabric G triangle and place it on top of your assembled I-HI-H unit, right sides together.




DIAGRAM 26

Block 11 Construction

Take one 3½" square from fabrics H and I and one 3½" H-I hst and join them following the diagram below.



DIAGRAM 27

- Now, take one fabric G triangle and place it on top of your assembled I-HI-H unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 11.




DIAGRAM 28

Block 12 Construction

 Take two 3½" squares from fabric I and one 3½" H-I hst and join them following the diagram below.



DIAGRAM 29

 Now, take one fabric G triangle and place it on top of your assembled I-HI-I unit, right sides together.




DIAGRAM 30


Block 13 Construction

 Take two 3½" squares from fabric H and one 3½" square from fabric I and join them following the diagram below.



DIAGRAM 31

 Now, take one fabric G triangle and place it on top of your assembled H-H-I unit, right sides together.



Block 14 Construction

 Take one 3½" square from fabrics B and C and one B-C hst and join them following the diagram below.



DIAGRAM 33

- Now, take one fabric G triangle and place it on top of your assembled B-BC-C unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 14.




DIAGRAM 34

Block 15 Construction

 Take one 3½" square from fabric J and two 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 35

 Now, take one fabric H triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 36



Block 16 Construction

 Take one 3½" square from fabric J and two 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 37

 Now, take one fabric H triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 38


Block 17 Construction

 Take one 3½" square from fabrics H and I and one H-I hst and join them following the diagram below.



DIAGRAM 39

 Now, take one fabric K triangle and place it on top of your assembled H-HI-I unit, right sides together



Block 18 Construction

 Take one 3½" square from fabric J and two 3½" squares from fabric K join them following the diagram below.



DIAGRAM 41

- Now, take one fabric L triangle and place it on top of your assembled J-J-K unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 18.




DIAGRAM 42

Block 19 Construction

 Take one 3½" square from fabric J and two 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 43

 Now, take one fabric L triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 44

Block 20 Construction

 Take one 3½" square from fabrics J and K and one 3½" J-K hst and join them following the diagram below.



DIAGRAM 45

 Now, take one fabric L triangle and place it on top of your assembled K-JK-K unit, right sides together.




DIAGRAM 46


Block 21 Construction

 Take two 3½" squares from fabric M and one 3½" square from fabric N and join them following the diagram below.



DIAGRAM 47

 Now, take one fabric L triangle and place it on top of your assembled M-M-N unit, right sides together.



Block 22 Construction

 Take two 3½" squares from fabric M and one 3½" square from fabric N and join them following the diagram below.



DIAGRAM 49

 Now, take one fabric L triangle and place it on top of your assembled M-N-M unit, right sides together.




DIAGRAM 50

Block 23 Construction

 Take two 3½" squares from fabric M and one 3½" square from fabric N and join them following the diagram below.



DIAGRAM 51

 Now, take one fabric L triangle and place it on top of your assembled M-M-N unit, right sides together.




DIAGRAM 52

Block 24 Construction

 Take one 3½" square from fabric J and two 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 53

 Now, take one fabric N triangle and place it on top of your assembled J-K-K unit, right sides together.





DIAGRAM 54

 Now, join template 1 and 2 from fabrics N and O, following the diagram below.



ROWS ASSEMBLY

Sew rights sides together.

Row 1

• Join the following pieces for Row 1.



DIAGRAM 56

Row 2

• Join the following pieces for Row 2.





DIAGRAM 57

Row 3

• Join the following pieces for Row 3.



Row 4

• Join the following pieces for Row 4.




DIAGRAM 59

Row 5

• Join the following pieces for Row 5.





DIAGRAM 60



Row 6

• Join the following pieces for Row 6.






DIAGRAM 61

Row 7

• Join the following pieces for Row 7.





DIAGRAM 62

Row 8

• Join the following pieces for Row 8.



Row 9

• Join the following pieces for Row 9.





DIAGRAM 64

Row 10

• Join the following pieces for Row 10.







DIAGRAM 65

Row 11

• Join the following pieces for Row 11.





Row 12

• Join the following pieces for Row 12.




DIAGRAM 67

QUILT TOP ASSEMBLY

• To assemble your quilt top, join rows 1-12.



QUILT ASSEMBLY


Sew rights sides together.

- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING


Sew rights sides together.

 Cut enough strips of 1½" x 18" from Fabric O, and join them together to make a 258" strip (horizontal strip print will be now be facing vertical).



• Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with ¼" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.

- ***
- Stop stitching ¼" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ¼" of the border, stitching all the layers. Do the same in the four corners of the quilt.
- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



×××/×/××××/×/×××/×/××××/×/××××/×/×

Congratulations & enjoy



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2020 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

Printer Test

1" Square

