MOVING MOUNTAINS

Designed by Ariga Mahmoudlou for RK Featuring Oh The Places You'll Go www.robertkaufman.com

by Dr. Seuss



Finished quilt measures: 63-1/2" x 79-1/2"


Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
your monoton with the second of the second o	A	ADE-18386-195 BRIGHT	2/3 yard (one full panel)			ADE-10792-2 BLACK	1/4 yard
	В	ADE-18391-195 BRIGHT	1/4 yard		J	ADE-10792-267 ADVENTURE	1/4 yard
S X	C	ADE-18390-195 BRIGHT	1/4 yard		K	K001-497 NIAGARA	1/4 yard
?	D	ADE-18389-195 BRIGHT	one fat quarter		L	K001-1376 TURQUOISE	1/3 yard
t places!	E	ADE-18387-195 BRIGHT	one fat quarter		М	K001-449 SUNNY	1/3 yard
	F	ADE-18389-70 AQUA	1-1/4 yard		N	K001-1265 ORANGE	1/2 yard
h heights! Yourst! Oh, the Pland 3/4 percentou'll Go! Toda	d G	ADE-18388-195 BRIGHT	1/3 yard		0	K001-327 TULIP	1/4 yard
o! Today is Yo Places! You wil to high heights ne Places You'll	! :!	ADE-18388-2 BLACK	1/4 yard		Р	K001-1194 LIPSTICK	3/8 yard



Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

ten 7" x 11" rectangles for the block centers

From Fabric B, cut:

one 7" x WOF strip. Subcut: one 7" x 11" rectangle for the block centers

From Fabric C, cut:

one 7" x WOF strip. Subcut: one 7" x 11" rectangle for the block centers

From Fabric D, cut:

one 11" x WOF strip. Subcut: one 7" x 11" rectangle for the block centers

From Fabric E, cut:

one 11" x WOF strip. Subcut: two 7" x 11" rectangles for the block centers

From Fabric F, cut:

one 11" x WOF strip. Subcut:

one 7" x 11" rectangle for the block centers

seven 4-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 4-1/2" x 56" top/bottom outer borders

two 4-1/2" x 80" side outer borders

From each of Fabrics G, L and M, cut:

three 2-1/2" x WOF strips. Subcut:

four 2-1/2" x 8-1/2" rectangles

four 2-1/2" x 16-1/2" rectangles

one 1-3/4" x WOF strip. Subcut:

two 1-3/4" x 7" rectangles

two 1-3/4" x 12-1/2" rectangles

From each of Fabrics H and I, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 8-1/2" rectangles

two 2-1/2" x 16-1/2" rectangles

one 1-3/4" x WOF strip. Subcut:

two 1-3/4" x 7" rectangles

two 1-3/4" x 12-1/2" rectangles

From Fabric J, I and Q, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 8-1/2" rectangles

two 2-1/2" x 16-1/2" rectangles

two 1-3/4" x WOF strips. Subcut:

four 1-3/4" x 7" rectangles

four 1-3/4" x 12-1/2" rectangles

From Fabric K, cut:

two 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 8-1/2" rectangles

two 2-1/2" x 16-1/2" rectangles

From Fabric N, cut:

three 2-1/2" x WOF strips. Subcut:

four 2-1/2" x 8-1/2" rectangles

four 2-1/2" x 16-1/2" rectangles

three 1-3/4" x WOF strips. Subcut:

six 1-3/4" x 7" rectangles

six 1-3/4" x 12-1/2" rectangles

From Fabric P, cut:

three 2-1/2" x WOF strips. Subcut:

four 2-1/2" x 8-1/2" rectangles

four 2-1/2" x 16-1/2" rectangles

two 1-3/4" x WOF strips. Subcut:

four 1-3/4" x 7" rectangles

four 1-3/4" x 12-1/2" rectangles

From Fabric R, cut:

seventeen 2" x WOF strips. Subcut:

twenty 2" x 16-1/2" block sashing strips

Sew the remaining seven strips together, end-to-end, then cut:

five 2" x 56" row sashing strips

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Blocks




Step 1: Sew a 1-3/4" x 7" Fabric N strip to the top and bottom of a Fabric A rectangle, as shown. Press toward the strips. Sew a 1-3/4" x 12-1/2" Fabric N strip to the sides of the unit. Press toward the strips.

Step 2: Sew a 2-1/2" x 8-1/2" Fabric I strip to the top and bottom of the block, as shown. Press toward the strips. Sew a 2-1/2" x 16-1/2" Fabric I strip to the sides of the block. Press toward the strips.

The resulting block will measure 12-1/2" x 16-1/2". This is Block 1.

Step 3: Repeat Steps 1 and 2 to make Blocks 2-20, referring to the Quilt Assembly Diagram for fabric placements and pairings.



Step 4: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make four block rows.

- **Step 5:** Sew the row sashing strips and block rows together, placing a sashing strip between each row and at the top and bottom of the quilt. Press seams open or to the sashing.
- **Step 6:** Sew the top and bottom outer borders to the quilt center. Press toward the borders. Sew the side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2018. All rights reserved.