



Fat Eighth Wristlet

A FAST & EASY FREE PATTERN FROM FAT QUARTER SHOP



CHECK OUT THE VIDEO TUTORIAL
ON OUR YOUTUBE CHANNEL!
www.youtube.com/fatquartershop



snap placement
(inside)

Fat Eighth Wristlet – Template 1

FABRIC AND NOTION REQUIREMENTS

- two Fat Eighths (9" x 21") for Outer Fabric and Lining Fabric
- One Soft and Stable Project Pack by ByAnnie (PBASS20PP)
You will need one 13 1/2" x 18 1/2" rectangle per clutch
- One Sew-In 14mm Invisible Magnetic Snap Set by ByAnnie (HAR14-N-700)
- 2 1/2" x 12" strip of fabric (Handle)


© 2019 Fat Quarter Shop, LLC. All rights reserved. Duplication of any kind is prohibited. This pattern may be used for personal purposes only and may not be reproduced without the express written permission from the Fat Quarter Shop. This pattern may not be used for commercial purposes.

#FATEIGHTHWRISTLET


Fat Eighth Wristlet – Template 2

ASSEMBLY INSTRUCTIONS

1. Fold the handle fabric in half along the 2 ½" side, then open and use the crease as a guide to fold in half again and press. The handle should measure ½" x 12". Topstitch along both long edges.
2. Print out Templates 1, 2 and 3 at full scale and tape together along the dashed lines.
3. Using the template as a guide, cut the two Fat Eighths and the Soft and Stable.
4. Using the template as a guide, mark the placement of the snaps on the Soft and Stable, one on the outside and one on the inside. Place the snaps on the markings and sew in place.
5. Turn the Soft and Stable piece so the inside snap is facing up. Place the lining fabric on top, right side up.
6. Fold the handle in half along the 12" side and lay on top of the lining fabric. Position it along the side edge of the bag as desired with the loop facing in and ½" sticking outside the edge.
7. Place the outer fabric on top of the lining fabric and handle, right side down. Pin the layers in place.
8. Stitch around the edge with a ¼" seam, leaving a 3" opening. Backstitch at beginning and end.
9. Turn the fabric layers right sides out using a point turner and iron to press out the edges on low/medium setting.
10. Turn the edges under along the opening and pin closed.
11. Topstitch around the clutch with a 1/8" seam allowance, making sure to catch the edges folded under in the previous step.
12. Mark a line across the short side 4" from the bottom of the curved edge as the first fold line. Mark a parallel line 5" above the first fold line as the second fold line. Stitch along lines.
13. Fold the bottom up along the first fold line. The curved edge should be positioned right under the second fold line. Sew the two open sides closed along the edge.



© 2019 Fat Quarter Shop, LLC. All rights reserved. Duplication of any kind is prohibited. This pattern may be used for personal purposes only and may not be reproduced without the express written permission from the Fat Quarter Shop. This pattern may not be used for commercial purposes.



snap placement
(outside)

Fat Eighth Wristlet - Template 3

