


atches. Cut strip for facing preferably on straight of goods; it may be crosswise or bias.

# SPOOL & BOBBIN



of reference can give satisfaction in every manner for 3 C

They have been ing of t gh every

W I I

W I I



IN

Consider he do th 80-0-m

of the fie

women, shall he not

# SPOOL & BOBBIN

56½" x 56½"

## GENERAL INSTRUCTIONS

- Read through all instructions before beginning the project.
- Featured fabrics are Best of She Who Sews from Riley Blake Designs.
- Refer to cover art and quilt layout diagram for fabric choices/placement.
- Fabric quantities are for 43"/44" wide, 100% cotton fabrics.
- Measurements include a ¼" seam allowance unless otherwise stated.

## CUTTING INSTRUCTIONS

- WOF - width of fabric.
- Label pieces as they are cut.

## FABRIC REQUIREMENTS

5/8 Yard Black Sew Vintage Text (C11343)  
1/4 Yard Gray Baby Button Toss (C11342)  
5/8 Yard Gray Low Volume Spool Tops (C11338)  
1/2 Yard Gray Sew Vintage Text (C11343)  
1/2 Yard Gray Vintage Tapes (C11331)  
1/8 Yard White Tiny Toy Sewing Machines (C11334)  
1 3/4 Yards Riley White Confetti Cotton Solid (C120)

### Black Sew Vintage Text

Cut 1 strip 3½" x WOF. Sub-cut:  
A - 6 squares 3½" x 3½"  
Cut for Binding:  
6 strips 2½" x WOF

### Gray Baby Button Toss

Cut 2 strips 3½" x WOF. Sub-cut:  
B - 14 squares 3½" x 3½"

### Gray Low Volume Spool Tops

Cut 3 strips 6½" x WOF. Sub-cut:  
C - 16 squares 6½" x 6½"

### Gray Sew Vintage Text

Cut 2 strips 6 7/8" x WOF. Sub-cut:  
D - 8 squares 6 7/8" x 6 7/8" and then cut once on the diagonal for a total of 16 triangles.  
Cut 1 strip 3½" x WOF. Sub-cut:  
E - 12 squares 3½" x 3½"

### Gray Vintage Tapes

Cut 2 strips 6 7/8" x WOF. Sub-cut:  
F - 8 squares 6 7/8" x 6 7/8" and then cut once on the diagonal for a total of 16 triangles.

### White Tiny Toy Sewing Machines

Cut 1 strip 3 7/8" x WOF. Sub-cut:  
G - 8 squares 3 7/8" x 3 7/8" and then cut once on the diagonal for a total of 16 triangles.

### Riley White Confetti Cotton

Cut 3 strips 6½" x WOF. Sub-cut:  
H - 16 squares 6½" x 6½"  
Cut 3 strips 3 7/8" x WOF. Sub-cut:  
I - 24 squares 3 7/8" x 3 7/8" and then cut once on the diagonal for a total of 48 triangles.  
Cut 6 strips 4½" x WOF for borders.


# SPOOL & BOBBIN

## PIECING INSTRUCTIONS


- All pieces are sewn with right sides together.
- Press seam allowances open unless otherwise stated.

### Unit A

Sew an I triangle to the top of an E square and press.



Sew a G triangle to the adjacent side of the E square and press.



With right sides together, sew a D triangle to the pieced triangle and press. Repeat to make a total of 12 Unit A. ( $6\frac{1}{2}'' \times 6\frac{1}{2}''$ )




### Unit B

Following the instructions for Unit A, sew a G triangle and an I triangle to the sides of an A square. Then sew a D triangle to the pieced triangle. Repeat to make a total of 4 Unit B. ( $6\frac{1}{2}'' \times 6\frac{1}{2}''$ )



### Unit C

Following the instructions for Unit A, sew two I triangles to the sides of a B square. Then sew an F triangle to the pieced triangle. Repeat to make a total of 14 Unit C. ( $6\frac{1}{2}'' \times 6\frac{1}{2}''$ )



### Unit D

Following the instructions for Unit A, sew two I triangles to the sides of an A square. Then sew an F triangle to the pieced triangle. Repeat to make a total of 2 Unit D. ( $6\frac{1}{2}'' \times 6\frac{1}{2}''$ )



## QUILT ASSEMBLY INSTRUCTIONS

- Refer to quilt layout diagram on the next page for block placement.
- Piece and sew the borders to match the measurements of your assembled quilt center. Measurements provided are a guide.
- Attach side borders first.

### Rows

Lay out blocks in 8 rows of 8 blocks. Sew together in rows ( $6\frac{1}{2}'' \times 48\frac{1}{2}''$ ).

### Quilt Center

Sew the rows together to complete the quilt center ( $48\frac{1}{2}'' \times 48\frac{1}{2}''$ ).

### Borders

Cut 2 side borders  $4\frac{1}{2}'' \times 48\frac{1}{2}''$ . Cut 2 top and bottom borders  $4\frac{1}{2}'' \times 56\frac{1}{2}''$ .

## FINISHING

Layer the quilt top, batting and quilt back as desired. Trim excess batting and backing even with the quilt top and bind with the black sew vintage text strip.

