

THREAD POST PANEL QUILT

 **Riley Blake**
DESIGNS™



37" x 56"



= Beginner

**Sew
Journal**
i. wecker frisch.

08/01/2023

Thread Post Panel Quilt

FINISHED QUILT SIZE 36 1/2" x 55 1/2"

Measurements include 1/4" seam allowance.

Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com/pattern-updates or any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

WOF = Width of Fabric

Press seams toward each outer border strip.

PATTERN REQUIREMENTS

- (1) Thread Post Patch Panel (PD13882-PANEL)
- 3/8 yard White Deconstructed Type (C13893-WHITE)
- 5/8 yard White Pattern Making (C13892-WHITE)
- 1/2 yard Black Stitches (C13885-BLACK) for binding

OTHER SUPPLIES

Basic Sewing Supplies

1 1/4 yards WIDEBACK backing fabric of your choice

44 1/2" x 63 1/2" piece of Batting


CUTTING REQUIREMENTS

- Please read instructions before cutting fabrics.
- Cutting Instructions are based on a 42" WOF.
- Refer to the quilt photo for the placement of each of the fabrics.
- Use a straight edge ruler and rotary cutter to cut your fabrics.



Thread Post Patch Panel

Trim the Panel to 24" x 43"



White Deconstructed Type (Inner Border Strips)

Cut (4) 2 3/4" WOF strips. Join the ends of the WOF strips to make (1) long strip subcut:

- (2) 2 3/4" x 43", label A
- (2) 2 3/4" x 28 1/2", label B

Inner Length of Sleeve. This measure is taken from the back of the neck to the wrist.
Outer Length of Sleeve. This measure is taken from the shoulder to the length of the sleeve required.
The Waist. This measure is taken round the waist.
The Hips. This measure is taken 9 in. below the waist.

White Pattern Making (Outer Border Strips)

Cut (5) 4 1/2" WOF strips. Join the ends of the WOF strips to make (1) long strip; subcut:

- (2) 4 1/2" x 47 1/2", label C
- (2) 4 1/2" x 36 1/2", label D



Black Stitches (Binding)

Cut (5) 2 1/2" x WOF strips for binding


Thread Post Panel Quilt

QUILT ASSEMBLY INSTRUCTIONS

1. Sew (2) 2 ¾" x 43" A strips RST to the left and right side of the panel.
2. Sew (2) 2 ¾" x 28 ½" B strips RST to the top and bottom of the unit. The unit should measure 28 ½" x 47 ½".



D strip



FINISHING THE QUILT

5. Finish your quilt by layering the quilt top, batting and backing. Quilt as desired. Bind with (4) 2 ½" x WOF Black Stitches strips.

Enjoy and share your quilt using the hashtags

#sewjournalfabric, #threadpostquilt, #rileyblakedesigns, and #iloverileyblake.