

Cutting:

Backing Print (see diagram)	Α	2 - 25" x 68 ½" length of fabric strips
	В	2 - 22" x 25 ½" rectangles
Block Background	С	4 - 5 1/8" squares
	D	4 - 5 ½" x 10 ½" rectangles
	Ε	4 - 5 ½" squares
Block Print	F	4 - 5 1/8" squares
	G	5 - 5 ½" squares




Fabrics A & B 5 ¼ yards 55023-36



Fabrics C. D & E 5% yard 55023-38



½ yard 55111-42



Use ¼" seams and press as arrows indicate throughout.

Block Assembly:

Draw a diagonal line on the wrong side of the Fabric C squares.

With right sides facing, layer a Fabric C square with a Fabric F square.

Stitch ¼" from each side of the drawn line.

Cut apart on the marked line.

Half Square Triangle Unit should measure 5 1/2" x 5 1/2".

Make eight.







Assemble one Fabric E square, two Half Square Triangle Units and one Fabric G square.

Corner Unit should measure 10 1/2" x 10 1/2".

Make four.







These patterns may not be used for commercial purposes.









Assemble two Corner Units and one Fabric D rectangle.

Partial Block Unit should measure 10 1/2" x 25 1/2".


Make two.





Assemble Block.

Backing Block should measure 25 1/2" x 25 1/2".








Backing Assembly:

Assemble two Fabric B rectangles, the Backing Block and two Fabric A strips.

Backing Unit should measure 68 1/2" x 74 1/2".



Finishing:

Quilt and bind as desired.